



Steven L. Beshear
Governor

Robert D. Vance, Secretary
Environmental and Public
Protection Cabinet

Larry R. Bond
Commissioner
Department of Public Protection

John J. Finnigan, Jr.
Duke Energy Kentucky, Inc.
139 East Fourth Street, EX 400
Cincinnati, OH 45202

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

John W. Clay
Vice Chairman

Caroline Pitt Clark
Commissioner

May 30, 2008

RE: Case No. 2007-00369

We enclose one attested copy of the Commission's Order in the above case.

Sincerely,

A handwritten signature in cursive script that reads "Stephanie Stumbo".

Stephanie Stumbo
Executive Director

SS/tw

Enclosure



Steven L. Beshear
Governor

Robert D. Vance, Secretary
Environmental and Public
Protection Cabinet

Larry R. Bond
Commissioner
Department of Public Protection

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

John W. Clay
Vice Chairman

Caroline Pitt Clark
Commissioner

Honorable Dennis G. Howard II
Assistant Attorney General
Office of the Attorney General Utility & Rate Intervention Division
1024 Capital Center Drive
Suite 200
Frankfort, KY 40601-8204

May 30, 2008

RE: Case No. 2007-00369

We enclose one attested copy of the Commission's Order in the above case.

Sincerely,

A handwritten signature in cursive script that reads "Stephanie Stumbo".

Stephanie Stumbo
Executive Director

SS/tw
Enclosure

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

THE ANNUAL COST RECOVERY FILING)
FOR DEMAND SIDE MANAGEMENT BY) CASE NO. 2007-00369
DUKE ENERGY KENTUCKY, INC.)

O R D E R

Duke Energy Kentucky, Inc. ("Duke Kentucky") has filed a motion to correct the Commission's final Order entered on May 14, 2008. Duke Kentucky notes that the Order on page 2, paragraph 2, contains an incorrect demand-side management ("DSM") rate for non-residential customers. That paragraph states, in relevant part, as follows:

For electric customers, Duke Kentucky's proposed factor for residential customers is \$.001416 per kWh, an increase from the current factor of \$.000449 per kWh. **Duke Kentucky's proposed factor for distribution service for non-residential service customers is \$.01405 per kWh,** an increase from the current factor of \$.001237 per kWh.

(Emphasis added).

Duke Kentucky states that the correct DSM rate for non-residential customers should be \$.001405 per kWh. The support for the proposed rate changes was provided in Appendix J to Duke Kentucky's application, which listed the correct tariff charge for non-residential electric distribution customers served under rates DS, DP, DT, GS-FL, EH, and SP as \$.001405 per kWh.


Having reviewed the motion, the record, and being otherwise sufficiently advised, the Commission finds that the DSM rate for non-residential customers was correctly stated in Duke Kentucky's application, but incorrectly stated in the May 14, 2008 Order.

IT IS THEREFORE ORDERED, to be entered, *nunc pro tunc*, that Duke Kentucky's proposed factor for distribution service for non-residential service customers is \$.001405 per kWh.

Done at Frankfort, Kentucky, this 30th day of May 2008.

By the Commission

ATTEST:


Executive Director *for Stephanie Stumbo*
by permission